	NTM Deployment	Code: BRO12
		Date: 26/04/2023
		Revision: 05



NOTICE TO MARINERS

REVISIONS		
Revision	Modification causes	Date
01	Issue	01/02/2023
02	Update of details, minor corrections	10/02/2023
03	Update of details; change of coordinates number format	06/03/2023
04	Update of dates and vessel details	31/03/2023
05	Update post-deployment	26/04/2023

	<h1>NTM Deployment</h1>	Code: BRO12
		Date: 26/04/2023
		Revision: 05

1. Introduction


Eolos has deployed two (2) Floating LiDAR Devices offshore Scotland for the acquisition of Wind and Metocean Data for a minimum period of 12 months.


The units deployed are:

- FLS200 E25 (deployed 09 Apr 2023); and
- FLS200 E26 (deployed 08 Apr 2023)

2. Deployment coordinates

Coordinates WGS84 (Degrees Decimal Minutes)		
Buoy	Latitude	Longitude
FLS200 E25	56°50.808' N	0° 2.292' E
FLS200 E26	58°10.356' N	1°48.386' W



	<h1>NTM Deployment</h1>	Code: BRO12
		Date: 26/04/2023
		Revision: 05

3. Metocean buoy

3.1. General description

The FLS200 buoy dimensions are described on the general arrangement below.




Figure 1 FLS200 general arrangement drawing.

Once in the water, the top of the tallest mast is around 4 meters above sea level.

3.2. Identification

The buoy is fitted with the following identification and navigational safety features:

- Buoy painted yellow in color;
- Yellow St Andrews Cross.
- Radar reflector.
- AIS AtoN (with MMSI 992351404, corresponding to *Bellrock FLIDAR E25*); and
- Marine lantern (with flash character FI (5) Y 20s - 5 yellow flashes every 20 seconds) with a range of 5 nautical miles.

	<h1>NTM Deployment</h1>	Code: BRO12
		Date: 26/04/2023
		Revision: 05



Figure 2 FLS200 on the water.

3.3. Mooring design

The buoy drifting radius is approximately 240 m from its deployment position. All material will be removed from the seabed after the measurement campaign is complete. The mooring layout design is provided on the final page of this document.

4. Contacts

Name: Mike Serquina

Position: Project Manager

Phone: +34 605 88 98 78

Email: mike.serquina@eolossolutions.com

Name: Gastao Moura

Position: Operations Manager

Phone: +34 658 10 31 09


Email: gastao.moura@eolossolutions.com

Name: Alex Winrow-Griffin

Position: Fisheries Liaison Officer

Phone: 07760 160039

Email: alex@brownmay.com





LiDAR BUOY STANDARD MOORING ASSEMBLY DETAILS

LEGEND:

- F.S. — FAR SIDE
- LIDAR — LIGHT DETECTION AND RANGING
- N.S. — NEAR SIDE
- SWL — SAFE WORKING LOAD

ITEM LIST			
ITEM	QTY	DESCRIPTION	LENGTH (m)
MOORING LINE			
1	1	8t CLUMP WEIGHT	-
2	7	12t SWL BOW SHACKLE	-
3	1	40mm G3 STUDLESS CHAIN	200
4	1	26mm D12+ DYNEEMA ROPE	60
5	1	28mm SWIVEL ASSEMBLY	-
6	1	28mm G2 STUDLESS CHAIN	10
LiDAR BUOY STANDARD MOORING ASSEMBLY			
7	9	12t SWL BOW SHACKLE	-
8	1	MASTER LINK ASSEMBLY	-
9	4	26mm G2 STUDLESS CHAIN	3
10	4	ISOLATING SHACKLE	-

CLIENT:					
					
A02	24.02.23	RE-ISSUED FOR COMMENTS	M.R.	C.N.	N.J.P.P.
A01	03.02.23	ISSUED FOR COMMENTS	M.R.	C.N.	N.J.P.P.
REV	DATE	DETAILS OF ALTERATION	DRAWN	CHECK	APPD.

PROJECT:					
EOLOS NORTH SEA, SCOTLAND			LONDON MARINE CONSULTANTS		
This document contains information of a proprietary nature and is delivered on the express condition that it is not to be disclosed, used or reproduced in whole or in part without the written consent of LONDON MARINE CONSULTANTS LTD.					
TITLE:					
EOLOS E26 MOORING LINE MAKE-UP & DETAILS					
LMC No.	8616-LMC-NAV-DWG-8002	SCALE:	1:100	REV.	A02
ALT. No.	-	SIZE:	A1	SHEET	01 of 01

ELEVATION SHOWING MOORING LINE MAKE UP - E26